

# DRAGONFLY

Odo Fioravanti / 2013



1 SEATING

Chair – 4star swivel base with castors.

Shell: recyclable polypropylene reinforced with fiberglass

**Upholstered options:** polypropylene shell with frontal upholstery or seat cushion only (seat height + 2 cm) in fabric, faux-leather or C.O.M.

**Base:** die-cast aluminium frame in powder coated or polished brushed finish.


Self-braking castors




	Article	Finish / Upholstery	Powder coated frame	polished brushed (67) frame	pcs / dimensions volume / gross weight product net weight
<b>Chair - 4 swivel base with castors</b>					
Polypropylene	R0047	Polypropylene			1 pc / 56x50x84,5 cm 0,24 m <sup>3</sup> / 9,5 Kg 7 Kg
Polypropylene with frontal upholstery	R0048	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)			1 pc / 56x50x84,5 cm 0,24 m <sup>3</sup> / 11 Kg 8,6 Kg
Polypropylene with seat cushion only	R0049	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)			1 pc / 56x50x84,5 cm 0,24 m <sup>3</sup> / 11,1 Kg 8,6 Kg

## Finishes


### Polypropylene



### Metal frame



## Dimensions



## Fire-retardant version

Fire retardant version

NOTE: fire retardant compounds may cause slightly difference of colours

## Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis SpA with the Client's signature.

Solid fabric:

for 1 pc. frontal shell (H. 140 cm ca) 50 cm  
for 1 pc seat only (H. 140 cm ca) 30 cm

## Resistance tests

ART. R0047  
EN 16139:2013 4.1 - General requirements  
EN 16139:2013 4.2.3 - Shear and squeeze point during use  
EN 16139:2013 4.3.1 - General  
EN 16139:2013 4.3.2 - Swiveling chairs  
EN 16139:2013 4.4 - Rolling resistance of the unloaded chair  
EN 16139:2013 4.5 - Safety of the construction  
EN 16139:2013 5. - Safety, strength and durability requirements  
EN 16139:2013 6. - Test methods  
BS EN 1728:2012 6.4 - Seat and back static load test  
BS EN 1728:2012 6.5 - Seat front edge static load test  
BS EN 1728:2012 6.6 - Vertical static load on back  
BS EN 1728:2012 6.15 - Leg forward static load test  
BS EN 1728:2012 6.16 - Leg sideways static load test  
BS EN 1728:2012 6.17 - Combine seat and back durability test  
BS EN 1728:2012 6.18 - Seat front edge durability test  
BS EN 1728:2012 6.24 - Seat impact test  
BS EN 1728:2012 6.28 - Backward fall test