

# DRAGONFLY

Odo Fioravanti / 2013

segis

1 SEATING

## Chair on cantilever base

Shell: recyclable polypropylene reinforced with fiberglass

Upholstered options: polypropylene shell with frontal upholstery or seat cushion only (seat height +2 cm) in fabric, faux-leather or COM

Frame: oval steel tube 30x15 mm in powder coated or chromed finish.

Glides: thermoplastic material.



## Awards:

2016: Menzione d'Onore al XXIV Compasso d'Oro ADI / Winner at Born Awards in France.

2015: Nominated for "Designs of the Year 2015" London Design's Museum.


2014: exposed at Design Café, Triennale di Milano / Selected from ADI Design Index USA winner of 2014 IIDA/HD Product Award for the Dining Seating Category. USA Nominated "Best of Year Awards" for the Seating category: contract / guests




Article	Finish / Upholstery	Powder coated frame	Chromed frame	Galvanic frame 07, 59, 57	pcs / dimensions volume / gross weight product net weight
Chair Polypropylene S0020 S0020 E	Polypropylene Polypropylene for outdoor use				2 pcs / 51,5X65,5X93 cm 0,31 m3 / 13,2 Kg 5,1 Kg
Chair Polypropylene with frontal upholstery S0021	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertext / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)				2 pcs / 51,5X65,5X93 cm 0,31 m3 / 16,6 Kg 6,8 Kg
Chair Polypropylene with seat cushion only S0022	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertext / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)				2 pcs / 51,5X65,5X93 cm 0,31 m3 / 16,6 Kg 6,8 Kg

## Finishes


### Polypropylene



### Metal frame



## Dimensions



## Fire-retardant version

Fire retardant version

NOTE: fire retardant compounds may cause slightly difference of colours

## Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc. frontal shell (H. 140 cm ca) 50 cm  
for 1 pc seat only (H. 140 cm ca) 30 cm

## Fire retardant certifications

Art. S0020 The product meets Class 2 Standards by the Italian Minister of Interior.

Art. S0021-S0022 The product upholstered with Xtreme fabric meets Class 1 IM Standards by the Italian Minister of Interior.

## Resistance tests

EN 16139:2013 – general requirements of resistance test  
EN1728:2012 – seat and back static load test -  
EN1728:2012 – seat and back static vertical load test  
EN 1728:2012 – seat and back fatigue test  
EN 1728:2012 – seat front edge fatigue test  
EN 1728:2012 – front legs static load test  
EN 1728:2012 - side legs static load test  
EN 1728:2012 - seat impact test  
EN 1728:2012 – back impact test  
EN 1728:2012 – stability test  
ANSI-BIFMA 5.1 -2011/6 – back drop test  
ANSI-BIFMA 5.1 -2011/8 – seat drop test  
ANSI-BIFMA 5.1 -2011/11 – seat durability test  
ANSI-BIFMA 5.1 -2011/12 – stability test  
ANSI-BIFMA 5.1 -2011/16 –back durability test – non tilting seat  
ANSI-BIFMA 5.1 -2011/18 – front legs static load test  
ANSI-BIFMA 5.1 -2011/18 – side legs static load test